



CROWD CONTROL  
BARRIER

PRODUCT CATALOGUE | 2026

Reliable crowd management. Built for repeated use.

Steel pedestrian barriers for events, construction sites, public works, rental fleets and temporary access control.

|                                                                         |                                                                         |                                                                                    |
|-------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| <b>CUSTOM SIZES</b><br>Dimensions and tube thicknesses can be tailored. | <b>MULTIPLE BASE OPTIONS</b><br>Fixed, flat and bridge-style solutions. | <b>EXPORT-READY PACKING</b><br>Packing plans matched to order and transport needs. |
|-------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------------|

SHIJIAZHUANG EVERSTAR HARDWARE MACHINERY CO., LTD.

Quality creates long-term partnerships.

PHONE

+86 199 3304 4444

WHATSAPP

+86 199 3304 4444

EMAIL

Lewis@everstarsteelproducts.com

02 PRODUCT CATALOGUE

# EVERSTAR AT A GLANCE

Manufacturing strength, responsive customization and export support



Founded in 1999, Shijiazhuang Everstar Hardware Machinery Co., Ltd. has grown from a wire-processing factory into a manufacturer serving global construction-hardware buyers. Our facility is located in Wuji, Shijiazhuang, Hebei Province. We combine production capacity, technical coordination and in-process quality control to support distributors, contractors, rental companies and project buyers. Product details, packing and documentation are confirmed against each order before production.

|                            |                                  |                               |
|----------------------------|----------------------------------|-------------------------------|
| <b>1999</b><br>ESTABLISHED | <b>58,000 m2</b><br>FACTORY AREA | <b>45</b><br>PRODUCTION LINES |
| <b>210</b><br>EMPLOYEES    | <b>25</b><br>R&D ENGINEERS       | <b>10</b><br>QC INSPECTORS    |

## Buyer Support

|                                                                                                 |                                                                                             |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| <b>01 Drawings &amp; data</b><br>CAD/PDF drawings, specifications and accessory matching.       | <b>02 Customization</b><br>Dimensions, tube thickness, color, base and packing options.     |
| <b>03 Quality coordination</b><br>Pre-production confirmation and inspection records as agreed. | <b>04 Export support</b><br>Shipping marks, packing lists and order-specific documentation. |

03 PRODUCT CATALOGUE


# PRODUCT OVERVIEW

Modular steel barriers for temporary pedestrian and access control



A crowd control barrier - also called a pedestrian barrier or crowd control barricade - creates a clear temporary boundary for guiding people, separating work zones and controlling entry points. Panels connect through an interlocking hook system to form a continuous line and can be configured for different sites.

## Available Surface Finishes



### GALVANIZED FINISH

Metallic finish for everyday outdoor and project use.



### POWDER-COATED FINISH

Color coating available in agreed RAL colors.

## Typical Uses

|                                                                                         |                                                                                                     |                                                                                                 |
|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| <b>EVENTS &amp; VENUES</b><br>Concerts, festivals, sporting events and amusement areas. | <b>CONSTRUCTION &amp; MAINTENANCE</b><br>Work-zone separation, restricted access and public safety. | <b>PUBLIC AREAS &amp; TRANSPORT</b><br>Queue management, roads, entrances and temporary routes. |
|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|

04 PRODUCT CATALOGUE


TECHNICAL SPECIFICATIONS

Standard options shown below; order-specific dimensions are available

Please confirm final size, tube wall thickness, finish, base type, accessories, quantity and packing method in the quotation or purchase order.

| PARAMETER            | AVAILABLE OPTIONS                                                   |
|----------------------|---------------------------------------------------------------------|
| Panel height         | 1.10 m / 1.25 m / 1.50 m                                            |
| Panel width          | 2.00 m / 2.10 m / 2.20 m / 2.40 m / 2.50 m                          |
| Frame tube           | 32 / 38 / 42 / 48 mm OD; 1.2 / 1.5 / 2.0 mm wall thickness          |
| Inner vertical tube  | 12 x 0.7 mm / 14 x 1.0 mm / 16 x 1.0 mm / 20 x 1.2 mm / 25 x 1.2 mm |
| Connection           | Interlocking metal hook system                                      |
| Vertical bar spacing | 60 / 100 / 120 / 150 / 200 mm                                       |
| Surface finish       | Galvanized or powder coated; agreed RAL colors available            |
| Customization        | Other dimensions and tube thicknesses available on request          |

Product Reference Diagram Letters correspond to overall height, width, frame, inner tubes and connection details



05 PRODUCT CATALOGUE

# BASE TYPES & ACCESSORIES

Configure each barrier for site conditions, handling and access requirements

Crowd control panels are available with different support and access configurations. Fixed feet are integrated with the panel, while removable or low-profile solutions can be selected for transport, storage and site layout needs.

## Base Options

|                                                                                                                                                                              |                                                                                                                                                                              |                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>FIXED BASE</b><br/>Integrated support for fast deployment and repeated handling.</p> |  <p><b>FLAT BASE</b><br/>Low-profile footprint; connection can be adapted to the order.</p> |  <p><b>BRIDGE BASE</b><br/>Wide support shape for stable placement and practical stacking.</p> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Gate & Access Options

|                                                                                                                                                                                      |                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>INDEPENDENT PEDESTRIAN GATE</b><br/>A separate gate module for controlled entry points.</p> |  <p><b>IN-LINE BARRIER GATE</b><br/>A gate integrated between connected barrier panels.</p> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Optional Accessories

Shade cloth or screening | Custom logo boards | Safety signboards | Project-specific labels and shipping marks

06 PRODUCT CATALOGUE

# FEATURES & FINISH OPTIONS

Designed for practical installation, connection, transport and repeated field use



|                                                                                                              |                                                                                                                                     |
|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| <b>01 Steel tube construction</b><br>Frame and infill tube options can be selected to match project needs.   | <b>02 Full welded assembly</b><br>Welded joints create a rigid panel for frequent handling and deployment.                          |
| <b>03 Interlocking connection</b><br>Hooks connect adjacent panels quickly into a continuous temporary line. | <b>04 Multiple base choices</b><br>Fixed, flat and bridge-style supports suit different layouts and handling plans.                 |
| <b>05 Finish selection</b><br>Choose a galvanized appearance or powder coating in agreed RAL colors.         | <b>06 Order-specific customization</b><br>Panel size, tube wall thickness, spacing, gates, accessories and packing can be tailored. |

**FINISH CONFIRMATION**

For powder-coated orders, confirm the RAL color and coating requirements before production. For galvanized orders, confirm the required treatment and appearance standard in the quotation.

07 PRODUCT CATALOGUE

# MANUFACTURING & QUALITY CONTROL

A defined production flow backed by dimensional and visual inspection



## Production Flow

|                                                                                          |                                                                                                 |                                                                                                 |
|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| <b>01 Raw material check</b><br>Verify tube size, wall thickness and order requirements. | <b>02 Cutting &amp; forming</b><br>Cut frame and infill tubes; form bends and connection parts. | <b>03 Assembly &amp; welding</b><br>Position components in jigs and complete panel welding.     |
| <b>04 Surface treatment</b><br>Apply the confirmed galvanized or powder-coated finish.   | <b>05 Inspection</b><br>Check dimensions, spacing, welding, finish, base fit and connection.    | <b>06 Packing &amp; loading</b><br>Protect, bundle or rack panels according to the agreed plan. |

## Key Inspection Points

|                                               |                                                |                                                  |
|-----------------------------------------------|------------------------------------------------|--------------------------------------------------|
| <b>CHECK</b> Frame tube OD and wall thickness | <b>CHECK</b> Overall panel height and width    | <b>CHECK</b> Vertical tube size and spacing      |
| <b>CHECK</b> Weld continuity and appearance   | <b>CHECK</b> Hook, gate and base compatibility | <b>CHECK</b> Finish, quantity, packing and marks |

08 PRODUCT CATALOGUE

# PACKAGING & DELIVERY

Protective packing and order documentation tailored to the confirmed shipment



BUNDLED PANELS



PROTECTED LOAD



CONTAINER DELIVERY

## Packing Options

|                                                                                 |                                                                                            |                                                                                                |
|---------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <b>01 Bundles</b><br>Strapped panels with protective separation where required. | <b>02 Steel racks or pallets</b><br>Suitable for handling and organized container loading. | <b>03 Order-specific protection</b><br>Wrapping, labels, shipping marks and accessory packing. |
|---------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|

## Pre-Production Confirmation Checklist

| ITEM          | CONFIRM BEFORE PURCHASE ORDER                                |
|---------------|--------------------------------------------------------------|
| Panel         | Height, width, frame tube and inner-tube spacing             |
| Finish        | Galvanized requirement or powder-coating color/specification |
| Configuration | Base type, gate type, accessories and logo/sign options      |
| Packing       | Bundle/rack method, protection, labels and shipping marks    |
| Shipment      | Quantity, destination port, container plan and documentation |

09 PRODUCT CATALOGUE

# APPLICATIONS & PROJECT GALLERY

Flexible temporary boundaries for public spaces, events and work zones

Connected panels create visible, modular routes that can be extended, reconfigured and stored after use. Select the panel size, base, finish and accessories according to the ground condition, crowd flow and handling plan.



## AMUSEMENT PARKS

Ride perimeters and queue lines



## SPORTING EVENTS

Route and participant separation



## CROWD MANAGEMENT

Temporary controlled zones



## PARK ENTRANCES

Path and access guidance



## ROADS & WORK ZONES

Pedestrian-side separation



## CYCLING EVENTS

Course-side boundary control

**PROJECT NOTE** Final barrier layout and crowd-safety planning remain the responsibility of the project organizer and applicable local requirements.

# WHY CHOOSE EVERSTAR

A practical manufacturing partner for repeat orders and project-specific requirements



## 01 Factory manufacturing

Production and inspection coordinated within one supply team.

## 02 Customization

Sizes, tube thicknesses, finishes, bases, gates and accessories.

## 03 Order transparency

Specifications and packing confirmed before production.

## 04 Quality control

Dimensional, welding, finish and packing checks throughout the order.

## 05 Technical response

Drawings, product data and configuration support for buyers.

## 06 Global delivery support

Export packing and documentation matched to shipment needs.

## REQUEST YOUR QUOTATION

Send your required panel size, tube specification, finish, base type, quantity and destination port.

**Phone / WhatsApp: +86 199 3304 4444 | Email: [Lewis@everstarsteelproducts.com](mailto:Lewis@everstarsteelproducts.com)**

Qiji Town Industrial Zone, Wuji County, Shijiazhuang City, Hebei Province, China

**SHIJIAZHUANG EVERSTAR HARDWARE MACHINERY CO., LTD.**

**QUALITY CREATES LONG-TERM PARTNERSHIPS**